



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: I AM INK SILVER 2**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Mixture for use in tattoos  
Tattoo Ink
- **Uses advised against** Tattooing eyeballs
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
I AM INK e.U.  
Hauptstr. 20  
A-8383 Sankt Martin an der Raab  
  
Tel.: +43 3329 46069  
E-Mail.: office@the3pylons.com
- **Further information obtainable from:** product safety department
- **1.4 Emergency telephone number:** VIZ +43 1 406 43 43

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

**Trade name: I AM INK SILVER 2**

(Contd. of page 1)

**· Dangerous components:**

|                                      |                  |                                                     |        |
|--------------------------------------|------------------|-----------------------------------------------------|--------|
| CAS: 13463-67-7<br>EINECS: 236-675-5 | titanium dioxide | substance with a Community workplace exposure limit | 25-50% |
| CAS: 57-55-6<br>EINECS: 200-338-0    | Propylene glycol | substance with a Community workplace exposure limit | 10-25% |
| CAS: 1333-86-4<br>EINECS: 215-609-9  | Carbon black     | substance with a Community workplace exposure limit | ≤2.5%  |

**· Additional information:**

The Annex VI classification of titanium dioxide doesn't apply to this mixture according to its Note 10.  
For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**· 4.1 Description of first aid measures**

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

**· 5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

**Trade name: I AM INK SILVER 2**

(Contd. of page 2)

- **Recommended storage temperature:** 6-8°C
- **Storage class (TRGS):** 12
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · **Ingredients with limit values that require monitoring at the workplace:**

###### **13463-67-7 titanium dioxide**

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>  
\*total inhalable \*\*respirable

###### **57-55-6 Propylene glycol**

WEL Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm  
\*total vapour and particulates \*\*particulates

###### **1333-86-4 Carbon black**

WEL Short-term value: 7 mg/m<sup>3</sup>  
Long-term value: 3.5 mg/m<sup>3</sup>

#### · **DNELs**

##### **57-55-6 Propylene glycol**

|            |                                               |                                            |
|------------|-----------------------------------------------|--------------------------------------------|
| Oral       | DNEL Long-term - oral, systemic effects       | 85 mg/kg_bw/day (general public)           |
| Dermal     | DNEL Long-term – dermal, systemic effects     | 213 mg/kg_bw/day (general public)          |
| Inhalative | DNEL long-term - inhalation local effects     | 10 mg/m <sup>3</sup> (Worker)              |
|            |                                               | 10 mg/m <sup>3</sup> (general public)      |
|            | DNEL Long-term – inhalation, systemic effects | 168 mg/m <sup>3</sup> /day (Worker)        |
|            |                                               | 50 mg/m <sup>3</sup> /day (general public) |

#### · **PNECs**

##### **57-55-6 Propylene glycol**

|                                        |                                      |
|----------------------------------------|--------------------------------------|
| PNEC short term, fresh water           | 260 mg/l (Aquatic organisms)         |
| PNEC short term, sea water             | 26 mg/l (Aquatic organisms)          |
| PNEC short term, sewage plant          | 2,000 mg/l (Aquatic organisms)       |
| PNEC short term fresh water sediment   | 572 mg/kg (Aquatic organisms)        |
| PNEC short term soil                   | 50 mg/kg (terrestrial organisms)     |
| PNEC short term sea water sediment     | 57.2 mg/kg (Aquatic organisms)       |
| PNEC short term, intermittent releases | 183 mg/l (Aquatic organisms)         |
| PNEC secondary poisoning               | 1,133 mg/kg KG/d (Aquatic organisms) |

· **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:** Not required.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

**Trade name: I AM INK SILVER 2**

(Contd. of page 3)

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection** Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

|                                                                   |                                                                        |
|-------------------------------------------------------------------|------------------------------------------------------------------------|
| · <b>Physical state</b>                                           | Fluid                                                                  |
| · <b>Colour:</b>                                                  | Grey                                                                   |
| · <b>Odour:</b>                                                   | Characteristic                                                         |
| · <b>Odour threshold:</b>                                         | Not determined.                                                        |
| · <b>Melting point/freezing point:</b>                            | Undetermined.                                                          |
| · <b>Boiling point or initial boiling point and boiling range</b> | 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) |
| · <b>Flammability</b>                                             | Not applicable.                                                        |
| · <b>Lower and upper explosion limit</b>                          |                                                                        |
| · <b>Lower:</b>                                                   | 2.6 Vol %                                                              |
| · <b>Upper:</b>                                                   | 12.6 Vol %                                                             |
| · <b>Flash point:</b>                                             | Not applicable.                                                        |
| · <b>Auto-ignition temperature:</b>                               | Product is not selfigniting.                                           |
| · <b>Decomposition temperature:</b>                               | Not determined.                                                        |
| · <b>pH at 20 °C</b>                                              | ~6                                                                     |
| · <b>Viscosity:</b>                                               |                                                                        |
| · <b>Kinematic viscosity</b>                                      | Not determined.                                                        |
| · <b>Dynamic:</b>                                                 | Not determined.                                                        |
| · <b>Solubility</b>                                               |                                                                        |
| · <b>water:</b>                                                   | Fully miscible.                                                        |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                                                        |
| · <b>Vapour pressure:</b>                                         | Not determined.                                                        |
| · <b>Density and/or relative density</b>                          |                                                                        |
| · <b>Density at 20 °C:</b>                                        | 1.39 g/cm <sup>3</sup>                                                 |
| · <b>Relative density</b>                                         | Not determined.                                                        |
| · <b>Vapour density</b>                                           | Not determined.                                                        |

- **9.2 Other information**

|                                                                                        |                                               |
|----------------------------------------------------------------------------------------|-----------------------------------------------|
| · <b>Appearance:</b>                                                                   |                                               |
| · <b>Form:</b>                                                                         | Fluid                                         |
| · <b>Important information on protection of health and environment, and on safety.</b> |                                               |
| · <b>Explosive properties:</b>                                                         | Product does not present an explosion hazard. |
| · <b>Solvent content:</b>                                                              |                                               |
| · <b>Organic solvents:</b>                                                             | 15.5 %                                        |
| · <b>Water:</b>                                                                        | 51.1 %                                        |
| · <b>VOC (EC)</b>                                                                      | 15.46 %                                       |
| · <b>Change in condition</b>                                                           |                                               |
| · <b>Evaporation rate</b>                                                              | Not determined.                               |

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

**Trade name: I AM INK SILVER 2**

(Contd. of page 4)

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

#### · **LD/LC50 values relevant for classification:**

##### **13463-67-7 titanium dioxide**

Oral LD50 &gt;20,000 mg/kg (rat)

Dermal LD50 &gt;10,000 mg/kg (rabbit)

##### **57-55-6 Propylene glycol**

Oral LD50 2,000 mg/kg (rat)

Dermal LD50 20,800 mg/kg (rabbit)

##### **1333-86-4 Carbon black**

Oral LD50 10,000 mg/kg (rat)

- **11.2 Information on other hazards**

#### · **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

Trade name: I AM INK SILVER 2

(Contd. of page 5)

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

13463-67-7 titanium dioxide

Inhalative LC50 (4h) &gt;6.82 mg/l (rat)

#### · 12.2 Persistence and degradability No further relevant information available.

#### · 12.3 Bioaccumulative potential No further relevant information available.

#### · 12.4 Mobility in soil No further relevant information available.

#### · 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

#### · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### · 12.7 Other adverse effects No further relevant information available.

#### · Additional ecological information:

##### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

#### · 14.1 UN number or ID number

· ADR, IMDG, IATA not regulated

#### · 14.2 UN proper shipping name

· ADR, IMDG, IATA not regulated

#### · 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class not regulated

#### · 14.4 Packing group

· ADR, IMDG, IATA not regulated

#### · 14.5 Environmental hazards:

Not applicable.

#### · 14.6 Special precautions for user

Not applicable.

#### · 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

#### · UN "Model Regulation":

not regulated

GB

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Version number 1.0

Revision: 21.12.2021

Trade name: **I AM INK SILVER 2**

(Contd. of page 6)

#### SECTION 15: Regulatory information

##### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

##### · Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

##### · National regulations:

· **VOC (EU)** 743.2 g/l· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

##### · Disclaimer

*This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.*

· **Department issuing SDS:** Quality Management department· **Contact:** MSDS authorized Person

##### · Abbreviations and acronyms:

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*